

Spring Workshop

JUNE 2016




PROJECT PURPOSE AND NEED




Study Area





Purpose and Need






Purpose and Need



SAFE ON 17



Decrease in injury and fatal collisions from pre-program average




Source: SCCRTC Safe on 17 2014 Annual Report

Next Steps



Caltrans Project Development



PUBLIC OUTREACH SUMMARY



Website Launch



- Study basics
- Reference info
- Online activities
- Workshop materials


CA-HWY17AMP.ORG




Interactive Mapping Activity



- Geo-based input
- Uses Google maps
- More precise input





Online Survey




Reach communities beyond



Open Communication



Establishing projectbased communication



	the form below to send us your questions or comments on the Highway 17 Access Management Plan. If you may also <u>email us</u> directly.
you preier,	you may also sman as unccuy.
Please let us know who you are	
Name (opt	ional)
Email (opt	ional)
Organizati	on (optional)
Organizati	оп (орионан)
V C	omment
Subject (o	ptional)
Comment	(required)

Public Workshops



• Initial round of workshops





Preliminary Findings



Concerns

- Crossing the highway
- Local network detours
- Speeding, tailgating, cell phone use, etc.
- Trucks
- Multimodal

PERFORMANCE


ASSESSMENT



PERFORMANCE ASSESSMENT




- Key access management characteristics:
 - Mobility
 - Access
 - Safety
- 18 segments



MOBILITY PERFORMANCE



- Median Barrier Coverage
- Median Barrier Openings
- Trip Generation



MOBILITY SCORE

0-10

11-20


21-30

ACCESS PERFORMANCE



- Access Points
- Access Point Density
- Access Point Clustering
- Addresses Served






SAFETY PERFORMANCE



- Conflict Points
- Crossing Conflict Points
- Conflict Point Density




0-10 11-20 21-30


OVERALL PERFORMANCE



Segment Needs

- 1. B Northbound (79)
- 2. H Northbound (78)
- 3. B Southbound (77)
- 4. H Southbound (72)
- 5. E Southbound (71)





DRAFT CONCEPT OVERVIEW



Draft Concept Overview



• 36 concepts

 Ranging need, scale, & location

NEED


Low

High

High -

Grade


Separated



Draft Concept Example




Turn Channelization



Draft Concept Example



• Driveway Improvements



Low Need

NEED

Low


High

High -

Grade



• 17 Concepts



Intermediate Need

NEED

Low


High

High -

Grade



• 11 Concepts




High Need



- Includes 3 grade-separated concepts
 - Vine Hill
 - Laurel/Sugarloaf/Glenwood Cutoff
 - Old Santa Cruz




Separated




Vine Hill Road






Sugarloaf-Glenwood Cut-Laurel





Old Santa Cruz Hwy





Concept Improvements



Performance Measures

- Conflict Points Reduced
 - Low Need Approx. 25%
 - Intermediate Need Approx. 70%
 - High Need Grade Sep. 64%
 - Full Implementation 50%
 - Median barrier coverage
 - 100% with Full Implementation
 - Close openings at Crescent Drive, Vine Hill Road, Sugarloaf Road, Glenwood Cutoff, Glenwood Drive, & Old Santa Cruz Highway

INTERCHANGE CONCEPTS DISCUSSION




Old Santa Cruz Highway






Sugarloaf/Laurel Road/Glenwood Cutoff





Vine Hill Road






NEXT

STEPS



Next Steps













Questions & Discussion

CA-HWY17AMP.ORG

Kelly McClendon <u>Kelly.Mcclendon@dot.ca.gov</u> (805) 549-3510

Joe Erwin Joe.Erwin@dot.ca.gov (805) 549-3489